

## JR505-SC



### Emergency Elevator Telephone, 1 Buttons, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting

#### Order Code

- JR505-SC (Analog model)
- JR505-SC-SIP (SIP/VoIP model)
- JR505-SC-GSM (GSM model)
- JR505-SC-3G (3G model)

## JR320-SC



### Emergency Telephone, 1Button, Autodial, with LED lamp, Blue and color optional for Red, Yellow

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

#### Order Code

- JR320-SC (Analog model)
- JR320-SC-SIP (SIP/VoIP model)
- JR320-SC-GSM (GSM model)
- JR320-SC-3G (3G model)

## JR321-SC



### Emergency Telephone, 1Button, Autodial, Post Mounting, with lamp, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Standing along-mounting

#### Order Code

- JR321-SC (Analog model)
- JR321-SC-SIP (SIP/VoIP model)
- JR321-SC-GSM (GSM model)
- JR321-SC-3G (3G model)

## JR321-SC-SP



### Emergency Telephone, 1 Button, Autodial, Post Mounting, with lamp and solar panel, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Stand along-mounting

#### Order Code

- JR321-SC-SP (Analog model)
- JR321-SC-SP-SIP (SIP/VoIP model)
- JR321-SC-SP-GSM (GSM model)
- JR321-SC-SP-3G (3G model)



## JR330-SC



Emergency Telephone, 1 Buttons, Autodial, Wall Mounting, Orange color, with lock key for open the door

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall –mounting or post mounting

### Order Code

- JR330-SC (Analog model)
- JR330-SC-SIP (SIP/VoIP model)
- JR330-SC-GSM (GSM model)
- JR330-SC-3G (3G model)

## JR316-4B



Industrial Intercom, 4Buttons, Autodial, Column Mounting, suitable for outdoor application, Orange color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

### Order Code

- JR316-4B (Analog model)
- JR316-4B -SIP (SIP/VoIP model)
- JR316-4B -GSM (GSM model)
- JR316-4B -3G (3G model)

## JR306-SC-SP



Emergency Telephone, 1Button, Autodial, Column Mounting, with LED light and solar panel, Orange color (other colours on demand)

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

### Order Code

- JR306-SC-SP (Analog model)
- JR306-SC-SIP-SP (SIP/VoIP model)
- JR306-SC-GSM-SP (GSM model)
- JR306-SC-3G-SP (3G model)

## JR315-SC



Emergency Help Point, 2Buttons, Autodial, with built-in induction loop, Column Mounting

Housed in a weatherproof, anti-vandal brushed stainless steel enclosure, designed for Column-mounting

### Order Code

- JR315-SC (Analog model)
- JR315-SC-SIP (SIP/VoIP model)
- JR315-SC-GSM (GSM model)
- JR315-SC-3G (3G model)



## JR-TP-01



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges Prepared for the containment of auxiliary circuits

Material: Made of galvanized steel, painted for outdoor using. It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour: yellow (other colours on demand)

Weight: 20 kg      Dimensions (mm): 1500 x 300 x 300 mm

Fixing: on floor

## JR-TP-02



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material: Made of galvanized steel, It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour: yellow (other colours on demand)

Weight: 25 kg      Dimensions (mm): 1500 x 300 x 300 mm

Fixing: on floor

## JR-TP-03



Emergency Telephone Pillar, painted for outdoor use. Can choose to add LED lights

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material: Made of galvanized steel, It can be manufactured in stainless steel AIS304/AIS316L on demand

Colour: Red (other colours on demand)

Weight: 30 kg      Dimensions (mm): 1500 x 436 x 306 mm

Fixing: on floor

## JR-TP-04



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

With Solar panel mounting bracket which is adjustable on multiple directions

Material: Made of galvanized steel, It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour: Orange (other colours on demand)

Weight: 45 kg      Dimensions (mm): 2400 x 436 x 306 mm

Fixing: on floor

